

Contents

- Ackman RG → Zhou S
 Aguilera J → Häder D-P
 Allcock AL → Brierley AS
 Aloia A → Colombini I
 Anil AC, Kurian J: Influence of food concentration, temperature and salinity on the larval development of *Balanus amphitrite* 115
 Arnold GP, Metcalfe JD: Seasonal migrations of plaice (*Pleuronectes platessa*) through the Dover Strait 151
 Barbata G → Lipani C
 Bastrop R → Röhner M
 Benayahu Y → Oren U
 Bergert BA, Wainwright PC: Morphology and kinematics of prey capture in the syngnathid fishes *Hippocampus erectus* and *Syngnathus floridae* 563
 Berggren P → Wang JY
 Blomster J → Kiirikki M
 Brierley AS, Allcock AL, Thorpe JP, Clarke MR: Biochemical genetic evidence supporting the taxonomic separation of *Loligo edulis* and *Loligo chinensis* (Cephalopoda: Teuthoidea) from the genus *Loligo* 97
 Buchholz F, Watkins JL, Priddle J, Morris DJ, Ricketts C: Moulting in relation to some aspects of reproduction and growth in swarms of Antarctic krill, *Euphausia superba* 201
 Buening N, Spero HJ: Oxygen- and carbon-isotope analyses of the articulate brachiopod *Laqueus californianus*: a recorder of environmental changes in the subeuphotic zone 105
 Burkart CA → Kleppel GS
 Byrne M, Morrice MG, Wolf B: Introduction of the northern Pacific asteroid *Asterias amurensis* to Tasmania: reproduction and current distribution 673
 Caputo V, Marchegiani F, Olmo E: Karyotype differentiation between two species of carangid fishes, genus *Trachurus* (Perciformes: Carangidae) 193
 Carmona R, Vergara JJ, Pérez-Lloréns JL, Figueroa FL, Niell FX: Photosynthetic acclimation and biochemical responses of *Gelidium sesquipedale* cultured in chemostats under different qualities of light 25
 Carpenter EJ → Lin S
 Carter K → Kleppel GS
 Cate HS → Manning EL
 Chelazzi L → Colombini I
 Chen F, Marcus NH: Subitaneous, diapause, and delayed-hatching eggs of planktonic copepods from the northern Gulf of Mexico: morphology and hatching success 587
 Choat JH → Clements KD
 Chow S, Okamoto H, Uozumi Y, Takeuchi Y, Takeyama H: Genetic stock structure of the swordfish (*Xiphias gladius*) inferred by PCR-RFLP analysis of the mitochondrial DNA control region 359
 Clarke MR → Brierley AS
 Clements KD, Choat JH: Comparison of herbivory in the closely-related marine fish genera *Girella* and *Kyphosus* 579
 Colombini I, Aloia A, Fallaci M, Chelazzi L: Spatial and temporal strategies in the surface activity of some sandy beach arthropods living along the French Atlantic Coast 247
 Danovaro R: Detritus-Bacteria-Meiofauna interactions in a seagrass bed (*Posidonia oceanica*) of the NW Mediterranean 1
 Davies PS → Marubini F
 Davis CV → Eckelbarger KJ
 Davoult D → Migné A
 Diez CE → van Dam RP
 Dodson JJ → Raby D
 Dubilier N, Windoffer R, Grieshaber MK, Giere O: Ultrastructure and anaerobic metabolism of mitochondria in the marine oligochaete *Tubificoides benedii*: effects of hypoxia and sulfide 637
 Eckelbarger KJ, Davis CV: Ultrastructure of the gonad and gametogenesis in the eastern oyster, *Crassostrea virginica*. I. Ovary and oogenesis 79
 Eckelbarger KJ, Davis CV: Ultrastructure of the gonad and gametogenesis in the eastern oyster, *Crassostrea virginica*. II. Testis and spermatogenesis 89
 Edmonds S, Potts DC: Population genetic structure in brooding sea anemones (*Epiactis* spp.) with contrasting reproductive modes 485
 Elliott NG → Grewe PM
 Estrella MS → Pechenik JA
 Fallaci M → Colombini I
 Fariña AC, Freire J, González-Gurriarán E: Megabenthic decapod crustacean assemblages on the Galician continental shelf and upper slope (north-west Spain) 419
 Fenchel T: Worm burrows and oxic micro-niches in marine sediments. 1. Spatial and temporal scales 289
 Fenchel T: Worm burrows and oxic micro-niches in marine sediments. 2. Distribution patterns of ciliated protozoa 297
 Figueroa FL → Häder D-P
 Flores-Moya A → Häder D-P
 Forward Jr RB, Swanson J, Tankersely RA, Welch JM: Endogenous swimming rhythms of blue crab, *Callinectes sapidus*, megalopae: effects of offshore and estuarine cues 621
 Freire J → Fariña AC
 Fusetani N → Satuito CG
 García-Díaz MM, Tuset VM, González JA, Socorro J: Sex and reproductive aspects in *Serranus cabrilla* (Osteichthyes: Serranidae): macroscopic and histological approaches 379
 Giere O → Dubilier N
 González-Gurriarán E → Fariña AC
 González JA → García-Díaz MM
 Graham KR → Sebens KP
 Grewe PM, Elliott NG, Innes BH, Ward RD: Genetic population structure of southern bluefin tuna (*Thunnus maccoyii*) 555
 Grieshaber MK → Dubilier N
 Guzmán HM → Knowlton N
 Häder D-P, Lebert M, Mercado J, Aguilera J, Salles S, Flores-Moya A, Jiménez C, Figueroa FL: Photosynthetic oxygen production and PAM fluorescence in the brown alga *Padina pavonica* measured in the field under solar radiation 61
 Hammer K → Pechenik JA
 Harper EM: Attachment of mature oysters (*Saccostrea cucullata*) to natural substrata 449
 Hashimoto J → Kojima S
 Havenhand JN → Li XX
 Heras H → Zhou S
 Heslinga GA → Maruyama T
 Himmelman JH → Lemire M
 Hirche HJ, Meyer U, Niehoff B: Egg production of *Calanus finmarchicus*: effect of temperature, food and season 609
 Holt GJ → Rooker JR
 Holt SA → Rooker JR
 Hopkins TL → Sutton TT
 Hoskin MG: Effects of contrasting modes of larval development on the genetic structures of populations of three species of prosobranch gastropods 647
 Ianora A → Romano G
 Innes BH → Grewe PM
 Iribarne O: Habitat structure, population abundance and the opportunity for selection on body weight in the amphipod *Eogammarus oclairi* 143
 Jara J → Knowlton N
 Jiménez C → Häder D-P
 Jürss K → Röhner M
 Kamatani A → Oku O
 Kaplan DL → Naldrett MJ
 Kerrigan BA: Variability in larval development of the tropical reef fish *Pomacentrus amboinensis* (Pomacentridae): the parental legacy 395

- Kiurikki M, Blomster J: Wind induced upwelling as a possible explanation for mass occurrences of epiphytic *Ectocarpus siliculosus* (Phaeophyta) in the northern Baltic Proper 353
- Kiortsis V → Thessalou-Legaki M
- Klein B → Raby D
- Kleppel GS, Burkart CA, Carter K, Tomas C: Diets of calanoid copepods on the West Florida continental shelf: relationships between food concentration, food composition and feeding activity 209
- Knowlton N, Maté JL, Guzmán HM, Rowan R, Jara J: Direct evidence for reproductive isolation among the three species of the *Montastraea annularis* complex in Central America (Panamá and Honduras) 705
- Kojima S, Segawa R, Hashimoto J, Ohta S: Molecular phylogeny of vestimentiferans collected around Japan, revealed by the nucleotide sequences of mitochondrial DNA 507
- Kurian J → Anil AC
- Kuroki T → Watanabe Y
- Lagadeuc Y → Raby D
- Larsen PS → Riisgård HU
- Lebert M → Häder D-P
- Legendre L → Raby D
- Lemire M, Himmelman JH: Relation of food preference to fitness for the green sea urchin, *Strongylocentrotus droebachiensis* 73
- Lenz P → Radtke RL
- Li XX, Havenhand JN: Karyotype, nucleolus organiser regions and constitutive heterochromatin in *Ostrea angasi* (Mollusca: Bivalvia): evidence of taxonomic relationships within the Ostreidae 443
- Liang D, Uye S: Population dynamics and production of the planktonic copepods in a eutrophic inlet of the Inland Sea of Japan. III. *Paracalanus* sp. 219
- Lin S, Carpenter EJ: Rubisco of *Dunaliella tertiolecta* is redistributed between the pyrenoid and the stroma as a light/shade response 521
- Lipani C, Vitturi R, Sconzo G, Barbata G: Karyotype analysis of the sea urchin *Paracentrotus lividus* (Echinodermata): evidence for a heteromorphic chromosome sex mechanism 67
- Lohmann KJ → Manning EL
- MacDonald BA → Potter TM
- Manning EL, Cate HS, Lohmann KJ: Discrimination of ocean wave features by hatchling loggerhead sea turtles, *Caretta caretta* 539
- Marchegiani F → Caputo V
- Marcus NH → Chen F
- Marcus NH → Stalder LC
- Marino D → Montresor M
- Marubini F, Davies PS: Nitrate increases zooxanthellae population density and reduces skeletogenesis in corals 319
- Maruyama T, Heslinga GA: Fecal discharge of zooxanthellae in the giant clam *Tridacna derasa*, with reference to their in situ growth rate 473
- Maruyama T → Shimada A
- Maté JL → Knowlton N
- McKeen GL → Sulkun SD
- McLachlan A → Soares AG
- Mercado J → Häder D-P
- Metcalfe JD → Arnold GP
- Meyer U → Hirche HJ
- Migné A, Davoult D: Carbon-dioxide production and metabolic parameters in the ophiurid *Ophiothrix fragilis* 699
- Mingelbier M → Raby D
- Miralto A → Romano G
- Miyachi S → Shimada A
- Mladenov PV → Stewart BG
- Moksness E → Radtke RL
- Montresor M, Marino D: Modulating effect of cold-dark storage on excystment in *Alexandrium pseudogonyaulax* (Dinophyceae) 55
- Morrice MG → Byrne M
- Morris DJ → Buchholz F
- Naldrett MJ, Kaplan DL: Characterization of barnacle (*Balanus eburneus* and *B. crenatus*) adhesive proteins 629
- Natoyama K → Satuito CG
- Neal AL, Simões FN, Yule AB: Interactions between shear rates and biofilms affecting exploratory behaviour by cyprids of *Elminius modestus* (Cirripedia) 241
- Niehoff B → Hirche HJ
- Nielsen NF → Riisgård HU
- Ohta S → Kojima S
- Okamoto H → Chow S
- Oku O, Kamatani A: Resting spore formation of the marine planktonic diatom *Chaetoceros anastomosans* induced by high salinity and nitrogen depletion 515
- Olmo E → Caputo V
- Oren U, Benayahu Y: Transplantation of juvenile corals: a new approach for enhancing colonization of artificial reefs 499
- Pakhomov EA → Perissinotto R
- Pechenik JA, Estrella MS, Hammer K: Food limitation stimulates metamorphosis of competent larvae and alters post-metamorphic growth rate in the marine prosobranch gastropod *Crepidula fornicata* 267
- Pérez-Lloréns JL, Figueroa FL, Niell FX → Carmona R
- Perissinotto R, Pakhomov EA: Feeding association of the copepod *Rhincalanus gigas* with the tunicate salp *Salpa thompsoni* in the southern ocean 479
- Pfeiler E: Effect of Ca^{2+} on survival and development of metamorphosing bonefish (*Albula* sp.) leptocephali 571
- Potter TM, MacDonald BA, Ward JE: Exfoliation of epithelial cells by the scallop *Placopecten magellanicus*: seasonal variation and the effects of elevated water temperatures 463
- Potts DC → Edmands S
- Priddle J → Buchholz F
- Raby D, Mingelbier M, Dodson JJ, Klein B, Lagadeuc Y, Legendre L: Food-particle size and selection by bivalve larvae in a temperate embayment 665
- Radtke RL, Showers W, Moksness E, Lenz P: Environmental information stored in otoliths: insights from stable isotopes 161
- Ricketts C → Buchholz F
- Riisgård HU, Larsen PS, Nielsen NF: Particle capture in the mussel *Mytilus edulis*: the role of latero-frontal cirri 259
- Rijstenbil JW, Wijnholds JA: HPLC analysis of nonprotein thiols in planktonic diatoms: pool size, redox state and response to copper and cadmium exposure 45
- Röhner M, Bastrop R, Jürss K: Colonization of Europe by two American genetic types or species of the genus *Marenzelleria* (Polychaeta: Spionidae). An electrophoretic analysis of allozymes 277
- Romano G, Ianora A, Miralto A: Respiratory physiology in summer diapause embryos of the neustonic copepod *Anomalocera patersoni* 229
- Rooker JR, Holt GJ, Holt SA: Condition of larval and juvenile red drum (*Sciaenops ocellatus*) from estuarine nursery habitats 387
- Rowan R → Knowlton N
- Salles S → Häder D-P
- Satuito CG, Shimizu K, Natoyama K, Yamazaki M, Fusetani N: Age-related settlement success by cyprids of the barnacle *Balanus amphitrite*, with special reference to consumption of cyprid storage protein 125
- Savina LA → Sebens KP
- Schlacher TA → Soares AG
- Schmitt ASC, Ugolow RF: Haemolymph constituent levels and ammonia efflux rates of *Nephrops norvegicus* during emersion 403
- Schmitt ASC, Ugolow RF: Effects of ambient ammonia levels on blood ammonia, ammonia excretion and heart and scaphognathite rates of *Nephrops norvegicus* 411
- Sconzo G → Lipani C
- Sebens KP, Vandersall KS, Savina LA, Graham KR: Zooplankton capture by two scleractinian corals, *Madracis mirabilis* and *Montastrea cavernosa*, in a field enclosure 303
- Segawa R → Kojima S
- Shimada A, Maruyama T, Miyachi S: Vertical distributions and photosynthetic action spectra of two oceanic picophytoplankters, *Prochlorococcus marinus* and *Synechococcus* sp. 15
- Shimizu K → Satuito CG
- Showers W → Radtke RL
- Simões FN → Neal AL

- Soares AG, Schlacher TA, McLachlan A: Carbon and nitrogen exchange between sandy beach clams (*Donax serra*) and kelp beds in the Benguela coastal upwelling region 657
- Sobral P, Widdows J: Influence of hypoxia and anoxia on the physiological responses of the clam *Ruditapes decussatus* from southern Portugal 455
- Socorro J → García-Díaz MM
- Spero HJ → Buening N
- Stalder LC, Marcus NH: Zooplankton responses to hypoxia: behavioral patterns and survival of three species of calanoid copepods 599
- Stewart BG, Mladenov PV: Population structure, growth and recruitment of the euryalinid brittle-star *Astrobrachion constrictum* (Echinodermata: Ophiuroidea) in Doubtful Sound, Fiordland, New Zealand 687
- Sulkin SD, McKeen GL: Larval development of the crab *Cancer magister* in temperature regimes simulating outer-coast and inland-water habitats 235
- Sutton TT, Hopkins TL: Trophic ecology of the stomiid (Pisces: Stomiidae) fish assemblage of the eastern Gulf of Mexico: strategies, selectivity and impact of a top mesopelagic predator group 179
- Swanson J → Forward Jr RB
- Takeuchi Y → Chow S
- Takeyama H → Chow S
- Tankersely RA → Forward Jr RB
- Temkin MH: Comparative fertilization biology of gymnoleamete bryozoans 329
- Thessalou-Legaki M, Kiortsis V: Estimation of the reproductive output of the burrowing shrimp *Callinassa tyrrhena*: a comparison of three different biometrical approaches 435
- Thorpe JP → Brierley AS
- Tomas C → Kleppel GS
- Trowbridge CD: Demography and phenology of the intertidal green alga *Codium setchellii*: the enigma of local scarcity on sand-influenced rocky shores 341
- Tuset VM → García-Díaz MM
- Uglow RF → Schmitt ASC
- Uozumi Y → Chow S
- Uye S → Liang D
- van Dam RP, Diez CE: Diving behavior of immature hawksbills (*Eretmochelys imbricata*) in a Caribbean cliff-wall habitat 171
- Vandersall KS → Sebens KP
- Vergara JJ → Carmona R
- Vernet M, Whitehead K: Release of ultraviolet-absorbing compounds by the red-tide dinoflagellate *Lingulodinium polyedra* 35
- Vetter EW: Life-history patterns of two Southern California *Nebalia* species (Crustacea: Leptostraca): the failure of form to predict function 131
- Vitturi R → Lipani C
- Wainwright PC → Bergert BA
- Wang JY, Berggren P: Mitochondrial DNA analysis of harbour porpoises (*Phocoena phocoena*) in the Baltic Sea, the Kattegat-Skagerrak Seas and off the west coast of Norway 531
- Ward JE → Potter TM
- Ward RD → Grewe PM
- Watanabe Y, Kuroki T: Asymptotic growth trajectories of larval sardine (*Sardinops melanostictus*) in the coastal waters off western Japan 369
- Watkins JL → Buchholz F
- Welch JM → Forward Jr RB
- Whitehead K → Vernet M
- Widdows J → Sobral P
- Wijnholds JA → Rijstenbil JW
- Windoffer R → Dubilier N
- Wolf B → Byrne M
- Yamazaki M → Satuito CG
- Yule AB → Neal AL
- Zhou S, Heras H, Ackman RG: Role of adipocytes in the muscle tissue of Atlantic salmon (*Salmo salar*) in the uptake, release and retention of water-soluble fraction of crude oil hydrocarbons 545